











GUANGZHOU TIGER HEAD BATTERY GROUP CO., LTD.

- NO.132 North, Gongye Road, Haizhu District, Guangzhou, China
- & 86-20-85531602 85535961
- 86-20-85539959 85524224
- @ gzit@555bf.com.cn export@555bf.com.cn
- https://www.tigerheadbattery.com/









DRY BATTERY





555° W

Tiger Head

INTRODUCTION

Guangzhou Tiger Head Battery Group Co., Ltd., with authorized self-import & export right, is the key enterprise for dry batteries in China. It realizes the annual sales over 6 billion pieces of dry batteries, which makes it the leading battery enterprise in China, not only in the concern of sales volume and export volume, but also of export value and main business incomes

The company's main products involve all kinds of dry batteries, lead-acid storage batteries, Ni-MH batteries, polymer Liion batteries, branded by "555", "Tiger Head", " TIHAD", and "Lighting", and some battery-related small household appliances, such as jump starters, energy saving bulbs, LED lights, candles, mosquito coils, footballs, and so on. In 2010, the company developed a new generation of low-carbon product named Lighting Battery which acts as lighting without affecting the normal function for power supply, facilitating emergency, adventure, atmosphere, and maintenance, etc.. In 2012, the Art Battery was presented not only with basic function of normal battery, but also with function of art ornament and emergency.

The trademark "Tiger Head" of the company is the first "Chinese Well-known Trademark" in Guangzhou as well as in the country's battery industry. At the same time, it is identified as "Chinese Export Brand". Besides, the trademark "555" is the "Famous Trademark" in Guangzhou city as well as in Guangdong province. Moreover, "555" brand alkaline battery is awarded as "Chinese Top Brand Product" and listed on the first batch of eco-friendly alkaline batteries. The zincmanganese series and alkaline zinc-manganese series of batteries have received the Certificate for the Exemption from Export Inspection, which makes the only one enterprise of export inspection exemption in Guangzhou out of Guangzhou Tiger Head Battery Group Co., Ltd.. Furthermore, the "555" and "Tiger Head" brands are also the "Time-honored Brand" of Guangzhou.

Based on strengthening quality control and seeking development via technical progress, Tiger Head Battery Group Co., Ltd. has been making persistent efforts to excel. As the first company using computer-controlled automatic discharging detection facility to fulfill strict quality monitoring in production, the company is marked as "excellent enterprise of light

industrial in China" with advanced quality control system. It has passed the certification for ISO9001:2000 quality management system and ISO14001:2004 environment management system. For years running, it has been evaluated as the "Advanced Enterprise of Quality and Profit" by the Ministry of Foreign Trade and Economic Cooperation, PRC, the State Bureau of Light Industry, and the Quality Control Association of Guangdong Province.

The company has introduced the most advanced production line of mercury free zinc-manganese alkaline battery, thus providing the consumers with environment friendly batteries of high performance. The company adopts in production the special explosion-proof structure, new material, new formula, new technique and the special sealing technology, all in the leading position in the world, which makes true the Mercuryfree and Pollution-free in battery production fives years ahead of the national schedule. Recently, the company invested RMB 1.5 million independently developing the Real-time Monitoring Management System via IT new technology, which includes several parts of on-the-spot production management, operation instruction, and figures analysis, etc. This system, via visual image transformation and vivid industry control charts, can help monitoring persons to get accurate first-hand information about the production; even they are not on the production spot. Thus, it helps to improve management efficiency and reduce management cost.

For years, the company is cared and supported by leaders at all levels. The party and state leaders as well as provincial and municipal leaders, such as Wen Jiabao, Li Changchun, Wu Yi, Zhang Dejiang, Zou Jiahua, Huang Huahua, Zhu Xiaodan, Zhang Guangning etc., have paid visits to the company, bringing great incentive. On December 11, 2002, Zou Jiahua, vice chairman of National People's Congress, inspected the company with the inscription of " Clean Production Model and Modern Environmental Pioneer", while on October 15, 2006, Premier Wen Jiabao visited the company and praised by words of " let old brand glow with youth by integrating production with trade, by brand strategy and technological innovation". On Sep.22, 2011, Mr Zhang Dejiang, Vice premier of China, visited our company and affirmed our achievements.











Product glory





PHYERAMBRESSES





Trade glory







History Development

1928

1928

In 1928, Xinghua Battery Factory was established.

1968

In 1968, Guangzhou's 49 battery factories were merged into "Guangzhou Battery Factory" after many years of adjustment.

1986

In 1986, Hong Kong Hi-watt Battery Industrial Co., Ltd. was established.

1984

In 1984, it became the first company in the industry that owned the right to import and export.

1988

In 1988, Guangzhou 555 Battery Group was incorporated.

1992

In1992, Guangzhou Battery Industry and Trade Group Corporation was established.

1999

In 1999, Guangzhou Battery Co., Ltd. was incorporated.

2000

In 2000, Guangzhou Tiger Head Battery Group Co., Ltd. was incorporated.

Now

At present, it realizes the annual sales over 6 billion pieces of dry batteries, and export value over 400 million U.S. dollars, which makes it the leading battery enterprise in China. It ranks the 7th among China's Top 100 Enterprises Export to Africa.











TYPE NO.	R20S		
REMARK	PAPER JACKET		
VOLTAGE(v)	1.5		
BATTERIES PER BOX (doz.)	1		
BATTERIES PER CARTON(doz.)	24		
GROSS WEIGHT(kg)	23		
MEASURE-MENTS(cm)	41.5x28x21		
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	250min		



TYPE NO.	R14S		
REMARK	PAPER JACKET		
VOLTAGE(v)	1.5		
BATTERIES PER BOX (doz.)	2		
BATTERIES PER CARTON(doz.)	40		
GROSS WEIGHT(kg)	19.5		
MEASURE-MENTS(cm)	33.5x23.5x30		
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	120min		



TYPE NO.	R6S		
REMARK	PAPER JACKET		
VOLTAGE(v)	1.5		
BATTERIES PER BOX (doz.)	2		
BATTERIES PER CARTON(doz.)	100		
GROSS WEIGHT(kg)	17		
MEASURE-MENTS(cm)	31.5x19x28.5		
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	60min		



TYPE NO.	R03		
REMARK	PAPER JACKET		
VOLTAGE(v)	1.5		
BATTERIES PER BOX (doz.)	5		
BATTERIES PER CARTON(doz.)	180		
GROSS WEIGHT(kg)	15.3		
MEASURE-MENTS(cm)	33.5x28x16.5		
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	30min		







TYPE NO.	R20S		
REMARK	PAPER JACKET		
VOLTAGE(v)	1.5		
BATTERIES PER BOX (doz.)	1		
BATTERIES PER CARTON(doz.)	24		
GROSS WEIGHT(kg)	23		
MEASURE-MENTS(cm)	41.5x28x21		
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	250min		



TYPE NO.	R14S		
REMARK	PAPER JACKET		
VOLTAGE(v)	1.5		
BATTERIES PER BOX (doz.)	2		
BATTERIES PER CARTON(doz.)	40		
GROSS WEIGHT(kg)	19.5		
MEASURE-MENTS(cm)	33.5x23.5x30		
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	120min		



TYPE NO.	R6S		
REMARK	PAPER JACKET		
VOLTAGE(v)	1.5		
BATTERIES PER BOX (doz.)	2		
BATTERIES PER CARTON(doz.)	100		
GROSS WEIGHT(kg)	17		
MEASURE-MENTS(cm)	31.5x19x28.5		
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	60min		



TYPE NO.	R03		
REMARK	PAPER JACKET		
VOLTAGE(v)	1.5		
BATTERIES PER BOX (doz.)	4		
BATTERIES PER CARTON(doz.)	200		
GROSS WEIGHT(kg)	17		
MEASURE-MENTS(cm)	34.5x18.5x25		
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	30min		









TYPE NO.	R20S	
REMARK	METAL JACKET	
VOLTAGE(v)	1.5	
BATTERIES PER BOX(doz.)	1	
BATTERIES PER CARTON (doz.)	24	
GROSS WEIGHT (kg)	26.5	
MEASURE-MENTS(cm)	44x29.5x22.5	
TEST CONDITION	3.9Ω 24h/d	
CUT-OFF	0.9V	
DURATION	300min	





TYPE NO.	R6S		
REMARK	METAL JACKET		
VOLTAGE(v)	1.5		
BATTERIES PER BOX(doz.)	2		
BATTERIES PER CARTON (doz.)	100		
GROSS WEIGHT (kg)	21		
MEASURE-MENTS(cm)	31.5x19x28.5		
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	60min		




R03/3760 AAA SIZE/UM-4

TYPE NO.	R03		
REMARK	PVC JACKET		
VOLTAGE(v)	1.5		
BATTERIES PER PACK(PCS)	4 2		4
BATTERIES PER BOX(PCS)	24 60		0
BATTERIES PER CARTON (PCS)	720	720 1200	
GROSS WEIGHT (kg)	5.6 9.		.2
MEASURE-MENTS(cm)	24x14.5x15.5 28.5x		7x11.5
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	25min		









TYPE NO.	LR20	
VOLTAGE(v)	1.5	
BATTERIES PER PACK (PCS)	2	*2
BATTERIES PER BOX (PCS)	12	12
BATTERIESPER CARTON(PCS)	144	96
GROSS WEIGHT(kg)	20.5	14.0
MEASURE-MENTS(cm)	32.5x28.5x16.5	41x32x13
TEST CONDITION	3.9Ω 24h/d	
CUT-OFF	0.9V	
DURATION	37h	



TYPE NO.	LR14		
VOLTAGE(v)	1.5		
BATTERIES PER PACK (PCS)	2 *2		
BATTERIES PER BOX (PCS)	24 12		
BATTERIESPER CARTON(PCS)	288 192		
GROSS WEIGHT(kg)	19.5 14.3		
MEASURE-MENTS(cm)	33x22.5x20 41x27.5x19.5		
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	18	Bh	




TYPE NO.		LR6							
VOLTAGE(v)					1.5				
BATTERIES PER PACK (PCS)	4 *2				*4		*6		
BATTERIES PER BOX (PCS)	2	24 24 48					60		
BATTERIES PER CARTON (PCS)	720	960	38	384 720			38	384	
GROSS WEIGHT (kg)	18.5	23.5	10.8	11	19.5	20	10.1	10.3	9.5
MEASURE- MENTS (cm)	31.5 ×19.5 ×18	45.5 ×25 ×13	33 x27.5 x22.5	29 x27.5 x22	36 x27.5 x32	41 x27.5 x33	39 ×27.5 ×12	27.5 ×21.5 ×22.5	26.5 ×24.5 ×19
TEST CONDITION	3.9Ω 24h/d								
CUT-OFF	0.9V								
DURATION	370-380min								







TYPE NO.	LR03								
VOLTAGE(v)		1.5							
BATTERIES PER PACK (PCS)	2	4 *2 *4					*6		
BATTERIES PER BOX (PCS)	2	24 24 48 60					60		
BATTERIES PER CARTON (PCS)	960	720	384 720			384		360	
GROSS WEIGHT (kg)	12.5	9.5	6	6.1	10.5	11.3	5.2	5.6	5.1
MEASURE- MENTS (cm)	34 x19.5 x11.5	24 x14.5 x16.5	1 1 1 1 1 1 1 1				27.5 x21.5 x18	25 x23.5 x14.5	
TEST CONDITION	3.9Ω 24h/d								
CUT-OFF	0.9V								
DURATION		140-150min							



TYPE NO.	6LR61		
VOLTAGE(v)	9		
BATTERIES PER PACK (PCS)	1	*1	
BATTERIES PER BOX (PCS)	24 12		
BATTERIESPER CARTON(PCS)	480 144		
GROSS WEIGHT(kg)	24.5 8.5		
MEASURE-MENTS(cm)	37.5x17.5x23 36.5x29x22.5		
TEST CONDITION	620Ω 2h/d		
CUT-OFF	5.4V		
DURATION	47	7h	




TYPE NO.	LR20		
VOLTAGE(v)	1.5		
BATTERIES PER PACK (PCS)	2 *2		
BATTERIES PER BOX (PCS)	12	12	
BATTERIESPER CARTON(PCS)	144 96		
GROSS WEIGHT(kg)	20.5 14.0		
MEASURE-MENTS(cm)	32.5x28.5x16.5 41x32x13		
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	37	7h	



TYPE NO.	LR14					
VOLTAGE(v)	1	.5				
BATTERIES PER PACK (PCS)	2	*2				
BATTERIES PER BOX (PCS)	24	12				
BATTERIES PER CARTON(PCS)	288	120				
GROSS WEIGHT (kg)	19.5	9.5				
MEASURE- MENTS(cm)	33x22.5x20	44x27.5x12				
TEST CONDITION	3.9Ω 24h/d					
CUT-OFF	0.9V					
DURATION	18	3h				







	CA
2	v
	IV
	С
LR03/166403 AAA SIZE/AM-4	[

TYPE NO.	LR03						
VOLTAGE(v)	1.5						
BATTERIES PER PACK (PCS)	4 *2 *4 *6						
BATTERIES PER BOX (PCS)	24	24	48	60			
BATTERIES PER CARTON (PCS)	960	720	384	360			
GROSS WEIGHT(kg)	12.5	10.5	5.2	5.1			
MEASURE- MENTS(cm)	34x19.5 x11.5	33.5x24.5 x24.5	33x25.5 x9.5	25.5x23.5 x15.5			
TEST CONDITION	3.9Ω 24h/d						
CUT-OFF	0.9V						
DURATION		140-1	50min				



*5

50

600

4.1

34.5x17x17.5

27A

20Ω 24h/d

7.2V

55h

*1

20

600

5.6

31x29.5x28



TYPE NO.	23A		
VOLTAGE(v)	12		
BATTERIES PER PACK (PCS)	*1 *5		
BATTERIES PER BOX (PCS)	20 50		
BATTERIESPER CARTON(PCS)	600 600		
GROSS WEIGHT(kg)	7.62 6.12		
MEASURE-MENTS(cm)	31x29.5x28 34.5x17x17.5		
TEST CONDITION	20Ω 24h/d		
CUT-OFF	6.0V		
DURATION	10	0h	



TYPE NO.	6LR61		
VOLTAGE(v)	9		
BATTERIES PER PACK (PCS)	1 *1		
BATTERIES PER BOX (PCS)	24 12		
BATTERIESPER CARTON(PCS)	480 144		
GROSS WEIGHT(kg)	24.5 8.5		
MEASURE-MENTS(cm)	37.5x17.5x23 36.5x29x22.		
TEST CONDITION	620Ω 2h/d		
CUT-OFF	5.4V		
DURATION	47h		

	TYPE NO.
255	VOLTAGE(v)
	BATTERIES PER PACK (PCS)
	BATTERIES PER BOX (PCS)
	BATTERIESPER CARTON(PCS)
	GROSS WEIGHT(kg)
	MEASURE-MENTS(cm)
	TEST CONDITION
	CUT-OFF
27A	DURATION

TYPE NO.	LR1	3LR12		3L	4LR25	
VOLTAGE(v)	1.5	4.5		4.5		6
BATTERIES PER PACK (PCS)	*6	1 *1		1 *1		1
BATTERIES PER BOX (PCS)	60	6	24	12	24	6
BATTERIES PER CARTON (PCS)	360	96		240	192	24
GROSS WEIGHT (kg)	4.7	17.5 18		25	20.8	24
MEASURE- MENTS(cm)	25.5x23.5x17	29.5*27*16.5	35.5x21.5x34	41.5x29x26.5	42x35.5x34	43.5x30.5x14.5
TEST CONDITION	3000Ω 12h/d	220Ω 4h/d		20Ω 1h/d		8.2Ω 0.5h/d
DURATION	180h	30	300h 10h		15h	















TYPE NO. LR6 VOLTAGE(v) 1.5 BATTERIES PER PACK(PCS) *4 BATTERIES PER BOX(PCS) 48 BATTERIES PER CARTON (PCS) 288 GROSS WEIGHT (kg) 6.9 MEASURE-MENTS(cm) 29 5 x 14 5 x 22		
BATTERIES PER PACK(PCS) *4 BATTERIES PER BOX(PCS) 48 BATTERIES PER CARTON (PCS) 288 GROSS WEIGHT (kg) 6.9	TYPE NO.	LR6
BATTERIES PER BOX(PCS) 48 BATTERIES PER CARTON (PCS) 288 GROSS WEIGHT (kg) 6.9	VOLTAGE(v)	1.5
BATTERIES PER CARTON (PCS) 288 GROSS WEIGHT (kg) 6.9	BATTERIES PER PACK(PCS)	*4
GROSS WEIGHT (kg) 6.9	BATTERIES PER BOX(PCS)	48
	BATTERIES PER CARTON (PCS)	288
MEASURE-MENTS(cm) 29 5v1/1 5v22	GROSS WEIGHT (kg)	6.9
10 29.5X 14.5X22	MEASURE-MENTS(cm)	29.5x14.5x22
TEST CONDITION 3.9Ω 24h/d	TEST CONDITION	3.9Ω 24h/d
CUT-OFF 0.9V	CUT-OFF	0.9V
DURATION 300min	DURATION	300min





TYPE NO.	LR03
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	*4
BATTERIES PER BOX(PCS)	48
BATTERIES PER CARTON (PCS)	288
GROSS WEIGHT (kg)	3.8
MEASURE-MENTS(cm)	25x13.5x17
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	100min







LR6
1.5
*2
24
384
9.9
33x27.5x22.5
3.9Ω 24h/d
0.9V
300min

TYPE NO.	LR03
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	*2
BATTERIES PER BOX(PCS)	24
BATTERIES PER CARTON (PCS)	384
GROSS WEIGHT (kg)	6.0
MEASURE-MENTS(cm)	33x27.5x18
TEST CONDITION 3.9Ω 24h/d	
CUT-OFF	0.9V
DURATION	100min





R20P/3110C D SIZE/UM-1

TYPE NO.	R20P
REMARK	METAL JACKET
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	2
BATTERIES PER BOX(PCS)	12
BATTERIES PER CARTON (PCS)	144
GROSS WEIGHT (kg)	15.3
MEASURE-MENTS(cm)	32.5x28.5x15
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	900min



R14P/3120C C SIZE/UM-2

R14P
METAL JACKET
1.5
2
24
480
25
33.5x23.5x30
3.9Ω 24h/d
0.9V
265min





	R6P		
REMARK	METAL JACKET		
VOLTAGE(v)	1.5		
BATTERIES PER PACK(PCS)	4		
BATTERIES PER BOX(PCS)	40		
BATTERIES PER CARTON (PCS)	800 1200		
GROSS WEIGHT (kg)	15 21.6		
MEASURE-MENTS(cm)	31x30x18 31x30x12.5		
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	100min		

TYPE NO.	R03	
REMARK	ALUMINUM JACKET	
VOLTAGE(v)	1.5	
BATTERIES PER PACK(PCS)	4	
BATTERIES PER BOX(PCS)	24	
BATTERIES PER CARTON (PCS)	720	
GROSS WEIGHT (kg)	6	
MEASURE-MENTS(cm)	24x14.5x16	
TEST CONDITION	3.9Ω 24h/d	
CUT-OFF	0.9V	
DURATION	40min	



Extra







TYPE NO.	R6P				
REMARK	ALUMINUM JACKET				
VOLTAGE(v)			1.5		
BATTERIES PER PACK (PCS)	2	*2	4	4	*4
BATTERIES PER BOX (PCS)	24	24	40	24	48
BATTERIES PER CARTON (PCS)	1200	384	800	1200	384
GROSS WEIGHT (kg)	19	7.4	12.8	19	6.9
MEASURE- MENTS (cm)	31.5x19x28.5	33x27.5x22.5	31x30x12.5	31.5x19x28.5	27.5x21.5x22.5
TEST CONDITION	3.9Ω 24h/d				
CUT OFF	0.9V				
DURATION	100min				

R6P/3640C3 AA SIZE/UM3



R03/3660C3 AAA SIZE/UM4

TYPE NO.	R03				
REMARK		AL	UMINUM JACK	ET	
VOLTAGE(v)			1.5		
BATTERIES PER PACK (PCS)	2	*2	4	4	*4
BATTERIES PER BOX (PCS)	48	24	24	48	48
BATTERIES PER CARTON (PCS)	2400	384	720	2400	384
GROSS WEIGHT (kg)	20	4.6	6	20	4.1
MEASURE- MENTS (cm)	33x18x25	33x27.5x18	24x14.5x15.5	33x18x25	27.5x21.5x18
TEST CONDITION	3.9Ω 24h/d				
CUT OFF	0.9V				
DURATION	40min				






TYPE NO.	6F22	
REMARK	METAL JACKET	
VOLTAGE(v)	9	
BATTERIES PER PACK (PCS)	*1	
BATTERIES PER BOX (PCS)	12	
BATTERIES PER CARTON (PCS)	144	
GROSS WEIGHT (kg)	6.5	
MEASURE-MENTS(cm)	31x28.5x25.5	
TEST CONDITION	620Ω 2h/d	
CUT-OFF	5.4V	
DURATION 26h		



TYPE NO.	R6P				
REMARK		ALUMINU	IM JACKET		
VOLTAGE(v)		1	.5		
BATTERIES PER PACK (PCS)	2 *2 4 *4				
BATTERIES PER BOX (PCS)	24 24		24	48	
BATTERIES PER CARTON (PCS)	1200 384		1200	384	
GROSS WEIGHT (kg)	19 7.4 19 6.9				
MEASURE- MENTS(cm)	31.5x19x28.5 33x27.5x22.5 31.5x19x28.5 27.5x21.5x22.5				
TEST CONDITION	3.9Ω 24h/d				
CUT-OFF	0.9V				
DURATION	100min				




6F22/3390A3 9V SIZE





TYPE NO.	R03					
REMARK		ALUMINU	M JACKET			
VOLTAGE(v)		1	.5			
BATTERIES PER PACK (PCS)	2 *2 4 *4					
BATTERIES PER BOX (PCS)	48	24	48	48		
BATTERIES PER CARTON (PCS)	2400	384	2400	384		
GROSS WEIGHT (kg)	20	4.6	20	4.1		
MEASURE- MENTS(cm)	33x18x25	33x27.5x18	33x18x25	27.5x21.5x18		
TEST CONDITION	3.9Ω 24h/d					
CUT-OFF	0.9V					
DURATION	40min					











TYPE NO.	R20P				
REMARK	METAL JACKET		PVC JACKET		
VOLTAGE(v)	1	.5	1.5		
BATTERIES PER PACK (PCS)	*2 2		*2		
BATTERIES PER BOX (PCS)	12	12	12		
BATTERIES PER CARTON (PCS)	96 288		96		
GROSS WEIGHT (kg)	10.5 30		9.7		
MEASURE- MENTS (cm)	41x31.5x13	44.5x29.5x23	41x31.5x13		
TEST CONDITION	3.9Ω 24h/d		3.9Ω 24h/d		
CUT-OFF	0.9V		0.9V		
DURATION	900min		650min		



R20P/1114C3 SIZE/UM-1

TYPE NO.	R6P				
REMARK	METAL J	PVC JACKET			
VOLTAGE(v)	1.	1.5			
BATTERIES PER PACK(pcs)	4	4			
BATTERIES PER BOX (PCS)	40 48		24		
BATTERIES PER CARTON (PCS)	800 384		1200		
GROSS WEIGHT(kg)	15 7.5		20		
MEASURE-MENTS(cm)	31x30x12.5 42x27.5x12		31.5X19X28.5		
TESTCONDITION	3.9Ω 2	3.9Ω 24h/d			
CUT-OFF	0.9	0.9V			
DURATION	100	95min			



TYPE NO.	R03P				
REMARK	PVC JACKET				
VOLTAGE(v)	1.5				
BATTERIES PER PACK(pcs)	*4 4				
BATTERIES PER BOX (PCS)	48	24			
BATTERIES PER CARTON (PCS)	480 960				
GROSS WEIGHT(kg)	5.5 8.5				
MEASURE-MENTS(cm)	40x27.5x12	34x19.5x11.5			
TEST CONDITION	3.9Ω 24h/d				
CUT-OFF	0.9V				
DURATION	40min				











TYPE NO.	R20P
REMARK	METAL JACKET
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	2
BATTERIES PER BOX (PCS)	12
BATTERIES PER CARTON (PCS)	144
GROSS WEIGHT (kg)	13.4
MEASURE-MENTS (cm)	32x28.5x15
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	600min



TYPE NO.	R6P
REMARK	ALUMINUM JACKET
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	4
BATTERIES PER BOX (PCS)	40
BATTERIES PER CARTON (PCS)	1200
GROSS WEIGHT (kg)	18.4
MEASURE-MENTS (cm)	31.5x30.5x18
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	90min



TYPE NO.	R03
REMARK	ALUMINUM JACKET
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	4
BATTERIES PER BOX (PCS)	40
BATTERIES PER CARTON (PCS)	1200
GROSS WEIGHT (kg)	9.7
MEASURE-MENTS (cm)	24.5x23x16
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	30min











TYPE NO.	R20P
REMARK	METAL JACKET
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	2
BATTERIES PER BOX (PCS)	12
BATTERIES PER CARTON (PCS)	144
GROSS WEIGHT (kg)	12.9
MEASURE-MENTS (cm)	32x28.5x15
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	400min



TYPE NO.	R6P		
REMARK	METAL JACKET		
VOLTAGE(v)	1.5		
BATTERIES PER PACK(PCS)	4		
BATTERIES PER BOX (PCS)	40		
BATTERIES PER CARTON (PCS)	1200		
GROSS WEIGHT (kg)	20.8		
MEASURE-MENTS (cm)	31.5x30.5x18		
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	80min		



TYPE NO.	R03		
REMARK	ALUMINUM JACKET		
VOLTAGE(v)	1.5		
BATTERIES PER PACK(PCS)	4		
BATTERIES PER BOX (PCS)	40		
BATTERIES PER CARTON (PCS)	1200		
GROSS WEIGHT (kg)	9.4		
MEASURE-MENTS (cm)	24.5x23x16		
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	25min		



SILVER OXIDE



			S	SILVER	OXIDE				
TYPE NO.	VOLTAGE (v)	END-POINT VOLTAGE (v)	CONTINUOUS DISCHARGE TIME (h)	UNIT WEIGHT (g)	BATTERIES PER PACK (pcs)	BATTERIES PER BOX (pcs)	BATTERIES PER CARTON (pcs)	G.W.(kg)	MEASURE- MENTS (cm)
377/SR626	1.55	1.2	680	0.55	1	20	1000	3.63	26×20×26.5
384/SR736	1.55	1.2	450	0.7	1	20	1000	3.78	26×20×26.5
362/SR721	1.55	1.2	518	0.4	1	20	1000	3.48	26×20×26.5
364/SR621	1.55	1.2	685	0.3	1	20	1000	3.38	26×20×26.5
371/SR920	1.55	1.2	663	0.61	1	20	1000	3.69	26×20×26.5
379/SR521	1.55	1.2	560	0.24	1	20	1000	3.32	26×20×26.5
390/SR1130	1.55	1.2	580	1.3	1	20	1000	4.38	26×20×26.5
397/SR726	1.55	1.2	530	0.5	1	20	1000	3.58	26×20×26.5

LITHIUM BUTTON CELL BATTERIES



Note: The items with asterisk * are blister card packing.

LITHIUM BUTTON CELL BATTERIES					
	SIZE		CHARACTERISTICS		
MODEL NO.	(mm) Ф х Н	NORMAL VOLTAGE (v)	NORMAL CAPACITY (mAh)		
CR2032	20X3.2	3	200		
CR2025	20X2.5	3	150		
CR2016	20X1.6	3	70		
CR1625	16X2.5	3	85		
CR1616	16X1.6	3	45		
CR1225	12.5X2.5	3	40		
CR1220	12.5X2.0	3	35		

ALKALINE BUTTON CELL BATTERIES



Note:The items with asterisk * are blister card packing.

ALKALINE BUTTON CELL BATTERIES DISCHARGE CHARECTERISTICS (23 C) CONTINUOUS DISCHARGE TIME MODEL NO. NORMAL VOLTAGE (v) 1.5 460 LR43 G12 1.5 100 480 LR721 G11 1.5 20 380 LR1130 G10 1.5 480 LR936 G9 1.5 56 520 LR1120 320 LR927 G7 1.5 46 360 LR920 G6 1.5 32 180 LR754 G5 1.5 560 LR626 G4 1.5 16 380 LR41 G3 1.5 30 360 LR726 G2 1.5 26 220 LR621



LITHIUM BUTTON CELL BATTERIES



LITHIUM BUTTON CELL BATTERIES					
TYPE NO.	BATTERIES PER PACK (pcs)	BATTERIES PER BOX (pcs)	BATTERIES PER CARTON (pcs)	G.W.(kg)	MEASURE- MENTS (cm)
CR2032	5	100	500	2.6	34x20.2x8.2
CR2025	5	100	500	2.3	34x20.2x8.2
CR2016	5	100	500	1.95	34x20.2x8.2

ALKALINE BUTTON CELL BATTERIES



LR621/626/41/920/1130/44

ALKALINE BUTTON CELL BATTERIES					
TYPE NO.	BATTERIES PER PACK (pcs)	BATTERIES PER BOX (pcs)	BATTERIES PER CARTON (pcs)	G.W.(kg)	MEASURE- MENTS (cm)
LR621	10	200	1200	1.36	20.3*18.2*18.4
LR626	10	200	1200	1.42	20.3*18.2*18.4
LR41	10	200	1200	1.24	20.3*18.2*18.4
LR920	10	200	1200	1.78	26.3*18.2*18.4
LR1130	10	200	1200	2.49	26.3*18.2*18.4
LR44	10	200	1200	3.39	26.3*18.2*18.4

RECHARGEABLE BATTERIES

Note:The items with asterisk * are blister card packing.

NI-MH RECHARGEABLE BATTERIES



TYPE NO.	AAA			
NOMINAL CAPACITY(mAh)	750	750	850	850
BATTERIES PER CARD(pcs)	*2		*2	*4
BATTERIES PER BOX(pcs)	20	24	20	40
BATTERIES PER CARTON(pcs)	200	960	200	400



TYPE NO.		AA	
NOMINAL CAPACITY(mAh)	1600	1800	1800
BATTERIES PER CARD(pcs)	*4	*2	
BATTERIES PER BOX(pcs)	40	20	24
BATTERIES PER CARTON(pcs)	400	200	960



TYPE NO.	AA		
NOMINAL CAPACITY(mAh)	2000	2300	2500
BATTERIES PER CARD(pcs)	*2	*4	*2
BATTERIES PER BOX(pcs)	20	40	20
BATTERIES PER CARTON(pcs)	200	400	200



TYPE NO.	9V
NOMINAL CAPACITY(mAh)	200
BATTERIES PER CARD(pcs)	*1
BATTERIES PER BOX(pcs)	10
BATTERIES PER CARTON(pcs)	100

FOCUS PREPONDERANCE The characteristics of storage at temp:60 °C



storage time/days 33 34

